

Date printed 20.01.2022, Revision 20.01.2022

SECTION 1: Identification	of the outpotence/mixture	and of the company	dundartaking
SECTION 1. Identification	of the substance/mixture	e and of the comban	vundertakind

Product identifier 1.1

> febi 01381 antifreeze Article number: 22274, 22272, 12710, 01381, 33830, 71381 UFI: 2KT3-40Y8-T00H-C10X

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- 1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company

Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com Address enquiries to **Technical information** info@febi.com

	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
	Company	+49 2333 911-0	

SECTION 2: Hazards identification

Classification of the substance or mixture [REGULATION (GB) CLP] 2.1

Acute Tox. 4: H302 Harmful if swallowed. STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

Hazard pictograms

Signal word Contains: Hazard statements

Precautionary statements

The product is required to be labelled in accordance with regulation CLP.

H373 May cause damage to organs through prolonged or repeated exposure.



WARNING

Ethylene glycol

H302 Harmful if swallowed.

H319 Causes serious eye irritation.



P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P270 Do no eat, drink or smoke when using this product. P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell. P314 Get medical advice / attention if you feel unwell. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

Date printed 20.01.2022, Revision 20.01.2022



Version 11. Supersedes version: 10 Page 2 / 13

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.
Other hazards	none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
1 - < 2,5	potassium 2-ethylhexanoate
	CAS: 3164-85-0, EINECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX
	GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315
0,1 - < 0,3	Methyl-1H-benzotriazole
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411 - Repr. 2: H361d

Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
	For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

be used

4.1	Description of first aid measures		
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.	
4.2	2 Most important symptoms and effects, both acute and delayed		
		No information available.	
4.3	Indication of any immediate medical attention and special treatment needed		
		Treat symptomatically. If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to your doctor.	
SEC	CTION 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide	
	Extinguishing media that must not	Full water jet.	

Special hazards arising from the substance or mixture

Ferdinand Bilstein GmbH + Co. KG Date printed 20.01.2022, Revision 20.01.2022

5.2

bilstein

Version 11. Supersedes version: 10 Page 3 / 13

Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) 5.3 Advice for firefighters Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. **SECTION 6: Accidental release measures** Personal precautions, protective equipment and emergency procedures 6.1 High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water. **Environmental precautions** 6.2 Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. 6.3 Methods and material for containment and cleaning up Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations. Reference to other sections 6.4 See SECTION 8+13 **SECTION 7: Handling and storage** Precautions for safe handling 7.1 Use only in well-ventilated areas. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with oxidizing agents. Do not store together with food and animal food/diet. Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating. Specific end use(s) 7.3 See product use, SECTION 1.2

Date printed 20.01.2022, Revision 20.01.2022



Version 11. Supersedes version: 10 Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³

Ingredients with occupational

exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Eight hours: 20 ppm, 52 mg/m ³ , H
Short-term (15-minute): 40 ppm, 104 mg/m ³

DNEL

Substance
Ethylene glycol, CAS: 107-21-1
Industrial, dermal, Long-term - systemic effects, 106 mg/m ³
Industrial, inhalative, Long-term - local effects, 35 mg/m ³
general population, dermal, Long-term - systemic effects, 53 mg/m ³
general population, inhalative, Long-term - local effects, 7 mg/m ³
potassium 2-ethylhexanoate, CAS: 3164-85-0
Industrial, dermal, Long-term - systemic effects, 5,95 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 32 mg/m ³
general population, oral, Long-term - systemic effects, 2,5 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2,98 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 8 mg/m ³
Methyl-1H-benzotriazole, CAS: 29385-43-1
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 8,8 mg/m ³
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 4,4 mg/m ³

PNEC

Substance	
Ethylene glycol, CAS: 107-21-1	
sewage treatment plants (STP), 199,5 mg/l (AF=10)	
soil, 1,53 mg/kg	-
sediment (freshwater), 37 mg/kg	-
seawater, 1 mg/L	
freshwater, 10 mg/L	
sediment (seawater), 3,7 mg/kg	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
sediment (freshwater), 6.37 mg/kg	



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10 Page 5 / 13

freshwater, 360 µg/L
sewage treatment plants (STP), 71.7 mg/L
sediment (seawater), 637 µg/kg
soil, 1.06 mg/kg
seawater, 36 µg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
terrestrial, 0,002 mg/kg
freshwater, 0,008 mg/L
seawater, 0,008 mg/L
sewage treatment plants (STP), 39,4 mg/L
sediment (freshwater), 0,003 mg/kg
sediment (seawater), 0,003 mg/kg

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022



Version 11. Supersedes version: 10

Page 6 / 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	7,5 - 8,5 (50%)
pH-value [1%]	No information available.
Boiling point [°C]	120
Flash point [°C]	> 110 (DIN 51758)
Flammability (solid, gas) [°C]	> 400 (DIN 51794)
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0,01 (20°C)
Density [g/cm³]	1,123 (DIN 51757)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

Date printed 20.01.2022, Revision 20.01.2022



Version 11. Supersedes version: 10 Page 7 / 13

10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 20.01.2022, Revision 20.01.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

oduct	
FE-mix, oral, 541,0 mg/kg bw	
ubstance	
hylene glycol, CAS: 107-21-1	
050, oral, Rat, 7712 mg/kg bw	
FE, oral, 500 mg/kg (Acute Tox. 4)	
tassium 2-ethylhexanoate, CAS: 3164-85-0	
050, oral, Rat, 2043 mg/kg bw	
ethyl-1H-benzotriazole, CAS: 29385-43-1	
050, oral, Rat, 720 mg/kg	

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1 LD50, dermal, mouse, >3500 mg/kg bw

potassium 2-ethylhexanoate, CAS: 3164-85-0

LD50, dermal, Rabbit, 2000 mg/kg bw

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, dermal, Rat, > 2000 mg/kg (OECD 402)

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance	
Ethylene glycol, CAS: 107-21-1	
LC50, inhalative, Rat, >2.5 mg/L air, 6h	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
LC50, inhalative, Rat, 110 mg/m ³ (8 h)	

Serious eye damage/irritation

Toxicological data of complete product are not available. Risk of serious damage to eyes. Calculation method

Substance
Ethylene glycol, CAS: 107-21-1
Eye, non-irritating
potassium 2-ethylhexanoate, CAS: 3164-85-0
Eye, in vitro / ex vivo, OECD 437, corrosive

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022

Ethylene glycol, CAS: 107-21-1	
dermal, non-irritating	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
Rabbit, in vivo, OECD 404, irritant	

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
dermal, non-sensitizing

Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. single exposure Specific target organ toxicity -Toxicological data of complete product are not available. May cause damage to organs through prolonged or repeated exposure. repeated exposure Calculation method Substance Ethylene glycol, CAS: 107-21-1

NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed

NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
in vitro, no adverse effect observed

Reproduction toxicity

Toxicological data of complete product are not available. Suspected of damaging the unborn child. Calculation method

Substance	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
NOAEL, Rat, 300 mg/kg bw/day (P0)	

	Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
	Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
	General remarks	
		Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.
11.2	Information on other hazards	
	Endocrine disrupting properties	No information available.
	Other information	none

none



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022

SECTION 12: Ecological information

12.1 Toxicity

oduct
sed on the available information, the classification criteria are not fulfilled.
bstance
hylene glycol, CAS: 107-21-1
50, (28d), fish, 1,5 g/L
50, (3d), fish, 72.86 g/L
C50, (4d), Invertebrates, 3,536 - 13 g/L
C50, (21d), Invertebrates, 33,911 g/L
C50, (48h), Invertebrates, 100 mg/L
tassium 2-ethylhexanoate, CAS: 3164-85-0
50, (96h), fish, 100 mg/L
C50, (6d), Algae, 49.3 mg/L
C50, (48h), Crustacea, 85.4 mg/L
ethyl-1H-benzotriazole, CAS: 29385-43-1
C50, (21d), Daphnia magna, > 37,6 mg/L mg/L (OECD 202)
C50, (48h), Daphnia sp., 15,8 mg/L (OECD 202)

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022



Version 11. Supersedes version: 10 Page 11 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product		
		Dispose of as hazardous waste. Disposal in an incineration plant in accordance with the regulations of the local authorities.	
	Waste no. (recommended)	160114*	
	Contaminated packaging		
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.	
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102 150104	
SEC	TION 14: Transport information		
14.1	UN number or ID number		
	Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	
	Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"		
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
	- VOC (2010/75/CE)	0 %	
15.2	Chemical safety assessment		
		For this product a chemical safety assessment has not been carried out.	
SEC	TION 16: Other information		

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure. H302 Harmful if swallowed.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2022, Revision 20.01.2022

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

- IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50%

LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information

 Classification procedure
 Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)

 Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

 SECTION 3 been added: Methyl-1H-benzotriazole