Ferdinand Bilstein GmbH + Co. KG

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 1 / 11

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	1.1 Product identifier		
		febi 02582 grease	
		Article number: 02582	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.	1 Relevant uses		
		Lubricant	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
1.4	Emergency telephone number Advisory body	+49 (0)89-19240 (24h) (English)	
		+49 (0)89-19240 (24h) (English)	
	Advisory body CTION 2: Hazards identification	+49 (0)89-19240 (24h) (English) or mixture [REGULATION (GB) CLP] No classification.	
SEC	Advisory body CTION 2: Hazards identification	or mixture [REGULATION (GB) CLP]	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements	or mixture [REGULATION (GB) CLP]	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of	or mixture [REGULATION (GB) CLP] No classification.	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word	or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP.	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements	or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements	by mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none EUH210 Safety data sheet available on request.	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none	
SEC 2.1	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	by mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none EUH210 Safety data sheet available on request.	
SEC 2.1 2.2	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Special labelling	by mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none EUH210 Safety data sheet available on request.	
SEC 2.1 2.2 2.3	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Special labelling Other hazards	br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none None EUH210 Safety data sheet available on request. Contains: Zinc naphthenate. EUH208 May produce an allergic reaction.	
SEC 2.1 2.2 2.3	Advisory body CTION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Special labelling Other hazards Other hazards	br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none None EUH210 Safety data sheet available on request. Contains: Zinc naphthenate. EUH208 May produce an allergic reaction.	

not applicable

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11

Page 2 / 11

3.2 Mixtures

	The product is a n	nixture.	
	Range [%]	Substance	
	0,1 - < 1	Zinc naphthenate	
	<u> </u>	CAS: 84418-50-8	, EINECS/ELINCS: 282-762-6, Reg-No.: 01-2119988500-34-XXXX
		GHS/CLP: Skin S	Sens. 1: H317 - Aquatic Chronic 3: H412
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
SEC	TION 4: First aid	measures	
4.1	Description of fi	irst aid measure	PS
	General information	on	Take off contaminated clothing and wash before reuse.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Seek medical advice immediately. Do not induce vomiting.
4.2	Most important	symptoms and	effects, both acute and delayed
			No information available.
4.3	Indication of any	v immediate me	dical attention and special treatment needed
		,	Treat symptomatically. Forward this sheet to your doctor.
SEC	TION 5: Fire-fight	ting measures	
5.1	Extinguishing m	nedia	
	Suitable extinguis	shing media	foam, dry powder, water spray jet, carbon dioxide
	Extinguishing me be used	dia that must not	Full water jet
5.2	Special hazards	arising from the	e substance or mixture
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).
5.3	Advice for firefig	ghters	
			Use self-contained breathing apparatus.
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accident	al release meas	ures
6.1	Personal precau	utions, protectiv	e equipment and emergency procedures
			High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental p	precautions	
			Do not discharge into the drains/surface waters/groundwater.

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 F

Page 3 / 11

6.3	Methods and material for contain	ment and cleaning up
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		Do not eat, drink or smoke when using this product.
		Use barrier skin cream.
		Wash hands before breaks and after work.
		Cloths contaminated with product should not be kept in trouser pockets.
		Contaminated work clothing should not be allowed out of the workplace.
		Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	Iding any incompatibilities
		Keep only in original container.
		Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Do not store together with oxidizing agents.
		Keep container tightly closed. Keep in a cool place.
7.3	Specific end use(s)	
		See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

PNEC

Substance	
Zinc naphthenate, CAS: 84418-50-8	
soil, 6,38 mg/kg Boden dw	
sediment (seawater), 3,19 mg/kg Sediment dw	
sediment (freshwater), 31,93 mg/kg Sediment dw	
sewage treatment plants (STP), 147,73 µg/L	
seawater, 0,64 µg/L	
freshwater, 6,39 µg/L	

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11

Page 4 / 11

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,3 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	black
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 150
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	none
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	< 1,0 (25 °C)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	> 22,5 mm²/s (40 °C)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 5 / 11

9.2 Other information

Pour point: -24 Operation temperature: -30°C - +130°C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Sensitive to moisture.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 6 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product		

oral, Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc naphthenate, CAS: 84418-50-8
LD50, oral, Rat, > 2000 mg/kg bw

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Product

Zinc naphth	nenate, CAS: 84418-50-8
LD50, derm	al, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance	
Zinc naphthenate, CAS: 84418-50-8	

LC50, inhalative, Rat, > 0.42 mg/l/4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

S	Substance
Z	Zinc naphthenate, CAS: 84418-50-8
E	Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Subst

Substance	
Zinc naphthenate, CAS: 84418-50-8	
dermal, Rabbit, OECD 404, non-irritating	

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled. May produce an allergic reaction. Calculation method

Substance
Zinc naphthenate, CAS: 84418-50-8
dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure Specific target organ toxicity — repeated exposure		Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.	

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11

Page 7 / 11

	Zinc naphthenate, CAS: 84418-50-8
	NOAEL, oral, Rat, 50 mg/kg bw/day
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
	Substance
	Zinc naphthenate, CAS: 84418-50-8
	InVivo, OECD 474, negativ
	InVitro, OECD 471, negativ
Reproduction toxi	Substance
	Zinc naphthenate, CAS: 84418-50-8
	NOAEL, oral, Rat, 188 mg/kg bw/day
	NOAEL, oral, Rat, 250 mg/kg bw/day
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.
Information on other hazards	

Endocrine disrupting properties	No information available.
Other information	none

Product

SECTION 12: Ecological information

12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance	
Zinc naphthenate, CAS: 84418-50-8	
LC50, (4d), fish, 112 - 5620 µg/L	
EC50, (4d), Algae, 18.1 - 80.5 mg/L	
EC50, (48h), Invertebrates, 155 - 20 000 µg/L	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 11

Page 8 / 11

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Pro	du	ct
-----	----	----

		Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	120112* spent waxes and fats
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 9 / 11

112	Transport bazard class(as)	
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	io 8.
14.7	Maritime transport in bulk accordi	ng to IMO instruments
	not applicable	

not applicable

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	< 3%	

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 10 / 11

15.2	Chemical safety assessment	For this product a chemical safety assessment has not been carried out.
SECTION 16: Other information		
16.1	Hazard statements (SECTION 3)	
		H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
16.2	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses Par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived Mo Effect Level EC50 = Median effective concentration EC6 = European Chemicals Bureau EEC = European Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European Inventory of Existing Commercial Chemicals Substances ELS0 = Median effective loading ELINCS = European Inventory of Existing Commercial Chemicals Substances ELS0 = Median effective loading ELINCS = International Code for the Construction and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median Iethal dose LC0 = lethal concentration, 50% LD50 = Median Iethal doading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Struct Effect Concentration REACH = Registration, Evaluation, Authorisat
40.0		, ,
16.3	Other information	
	Classification procedure	
	Modified position	SECTION 3 been added: Zinc naphthenate

SECTION 2 been added: EUH208 May produce an allergic reaction.

SECTION 2 been added: EUH210 Safety data sheet available on request.

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.01.2022, Revision 19.01.2022



Version 12. Supersedes version: 11 Page 11 / 11