# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 1 / 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

hydraulic fluid ZH-M Article number: 02615

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

# 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word DANGER

Contains: Distillates (petroleum), hydrotreated light naphthenic Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

 ${\sf P301+P310\ IF\ SWALLOWED:\ Immediately\ call\ a\ POISON\ CENTER\ /\ doctor.}$ 

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

2.3 Other hazards

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Environmental hazards**Does not contain any PBT or vPvB substances.

The substance/mixture does not contain components considered to have endocrine disrupting

properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards No particular hazards known.

# ebi bilstein

Page 2 / 12

### Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025

Version 14.0. Supersedes version: 13.0

# **SECTION 3: Composition / Information on ingredients**

# 3.1 Substances

not applicable

#### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance
50 - < 100	Distillates (petroleum), hydrotreated light naphthenic
	CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34
	GHS/CLP: Asp. Tox. 1: H304
10 - < 20	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-56-9, EINECS/ELINCS: 265-159-2, EU-INDEX: 649-469-00-9, Reg-No.: 01-2119480132-48-XXXX
	GHS/CLP: Asp. Tox. 1: H304

Comment on component parts For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact**Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse mouth.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

### **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not Full wa

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 3 / 12

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Do not inhale explosion and/or combustion gases.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating and from sun.

# 7.3 Specific end use(s)

See product use, SECTION 1.2

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 4 / 12

# SECTION 8: Exposure controls / personal protection

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract)

CAS: 64742-56-9, EINECS/ELINCS: 265-159-2, EU-INDEX: 649-469-00-9, Reg-No.: 01-2119480132-48-XXXX

Long-term exposure: 1200 mg/m<sup>3</sup>

# Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

#### **DNEL**

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

Industrial, inhalative, Long-term - local effects, 5,4 mg/m<sup>3</sup>

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³

Industrial, inhalative, Long-term - local effects, 5,58 mg/m<sup>3</sup>

Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day

general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m<sup>3</sup>

Industrial, inhalative, Long-term - local effects, 5.58 mg/m<sup>3</sup>

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

general population, inhalative, Long-term - local effects, 1.19 mg/m³

general population, oral, Long-term - systemic effects, 740 μg/kg bw/day

#### **PNEC**

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

oral (food), 9,33 mg/kg food

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

oral (food), 9.33 mg/kg food

# 8.2 Exposure controls

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

# ebi bilstein

Page 5 / 12

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025

Version 14.0. Supersedes version: 13.0

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid
Color light yellow
Odor characteristic
Odour threshold not relevant
pH-value not applicable
pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 152 °C / 305 °F (EN ISO 2592)
Flammability No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

**Density [g/cm³]** 0,87 (DIN 51757) (15 °C / 59,0 °F)

Relative density No information available.

Bulk density [kg/m³]not applicableSolubility in waterinsoluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not applicable

**Kinematic viscosity** 17,1 mm<sup>2</sup>/s, 40 °C / 104 °F (DIN 51562)

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

Decomposition temperature [°C]

No information available.

No information available.

Particle characteristics not applicable

9.2 Other information

none

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Oxidizing agent Strong acids.

Strong basic compounds

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0

Page 6 / 12

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 7 / 12

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LD50, oral, Rat, > 5000 mg/kg bw

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LD50, oral, Rat, >5000 mg/kg bw (OECD 401)

NOAEL, oral, Rat, >1000 mg/kg bw (OECD 421)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, oral, Rat, > 5000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LD50, dermal, Rabbit, > 2000 mg/kg bw

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LD50, dermal, Rabbit, >5000 mg/kg bw (OECD 403)

NOAEL, dermal, Rat, >2000 mg/kg bw (OECD 414)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, > 5000 mg/kg bw

# Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LC50, inhalative, Rat, > 5,53 mg/l/4h (dust/mist)

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LC50, inhalative, Rat, >5,53 mg/l air (OECD 403)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

Eye, non-irritating

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

Eye, non-irritating

# Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 8 / 12

dermal, non-irritating

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

0-0

dermal, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

dermal, non-sensitizing

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEC, inhalative, Rat, 980 mg/m³, no adverse effect observed

LOAEL, oral, Rat, 125 mg/kg bw/day, adverse effect observed

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

LOAEL, dermal, mouse, 100 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

in vitro, negativ

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

NOAEL, oral, Rat, 1000 mg/kg bw/day

- Development

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are fulfilled.

May be fatal if swallowed and enters airways.

On basis of test data

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 9 / 12

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information none

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LC50, (96h), Fish, > 100 mg/l

IC50, (48h), Algae, > 100 mg/l

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

EL50, (24h), Daphnia magna, >10000 mg/l (OECD 202)

LL50, (96h), Pimephales promelas, >100 mg/l (OECD 203)

NOEL, (21d), Daphnia magna, 10 mg/l (OECD 211)

NOEL, (72h), Pseudokirchneriella subcapitata, >100 mg/l (OECD 201)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

NOELR, (14d), Fish, 1 g/L

LL50, (96h), Invertebrates, 10 g/L

LL50, (96h), Fish, 100 mg/L

### 12.2 Persistence and degradability

Behaviour in environment

compartments

No information available.

Behaviour in sewage plant

No information available.

**Biological degradability** 

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic

processes, e.g. mechanical separation.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

(28d), 2 - 4 %, OECD 301 B, The product is not readily biodegradable.

# 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Page 10 / 12 Version 14.0. Supersedes version: 13.0

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Dispose of as hazardous waste.

Waste no. (recommended) 130205\* mineral-based non-chlorinated engine, gear and lubricating oils

130110\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

150102 Waste no. (recommended)

150104

150110\* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025

Page 11 / 12 Version 14.0. Supersedes version: 13.0

# 14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

# 14.6 Special precautions for user

not applicable

Relevant information under SECTION 6 to 8.

# 14.7 Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 

2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH)

According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not

- Annex XVII (REACH) contain any substances ≥ 0.1% that are restricted.

> According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

**NATIONAL REGULATIONS (UK):** 

EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0 %

# 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 26.02.2025, Revision 26.02.2025



Version 14.0. Supersedes version: 13.0 Page 12 / 12

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

**Modified position** 

2.3. 3.2