

Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SWAG 10 92 1754 brake fluid DOT 4

Article number: 99 90 0001, 30 92 6461, 10 92 1754

UFI: VT8C-12TF-G005-GSTO

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

brake fluid

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 (0)202 26454-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Repr. 2: H361d Suspected of damaging the unborn child.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word WARNING

Contains: Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate

Hazard statements H361d Suspected of damaging the unborn child.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves / protective clothing / eye protection / face protection.

P308+P313 IF exposed or concerned: Get medical advice / attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 2 / 14

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
30 - < 50	Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate
	CAS: 30989-05-0, EINECS/ELINCS: 250-418-4, Reg-No.: 01-2119462824-33-XXXX
	GHS/CLP: Repr. 2: H361
10 - < 14	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol
	EINECS/ELINCS: 907-996-4, Reg-No.: 01-2119531322-53-XXXX
	GHS/CLP: Eye Dam. 1: H318
	SCL [%]: >=30: Eye Dam. 1: H318, 20 - <30: Eye Irrit. 2: H319
1 - < 10	2-2'-oxybisethanol
	CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX
	GHS/CLP: Acute Tox. 4: H302
1 - < 3	1,1'-Iminodipropan-2-ol
	CAS: 110-97-4, EINECS/ELINCS: 203-820-9, EU-INDEX: 603-083-00-7, Reg-No.: 01-2117475444-34-XXXX
	GHS/CLP: Eye Irrit. 2: H319

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11

Page 3 / 14

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

The product is hygroscopic.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 4 / 14

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 5 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Substance

2-2'-oxybisethanol

CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX

Long-term exposure: 23 ppm, 101 mg/m³

DNEL

Substance
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
Industrial, inhalative, Long-term - systemic effects, 29,1 mg/m³
Industrial, dermal, Long-term - systemic effects, 8,3 mg/kg bw/day
general population, oral, Long-term - systemic effects, 4,1 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 7,2 mg/m³
general population, dermal, Long-term - systemic effects, 4,1 mg/kg bw/day
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol
Industrial, dermal, Long-term - systemic effects, 208 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 195 mg/m³
general population, oral, Long-term - systemic effects, 12,5 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 117 mg/m³
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day
2-2'-oxybisethanol, CAS: 111-46-6
Industrial, inhalative, Long-term - systemic effects, 44 mg/m³
Industrial, inhalative, Long-term - local effects, 60 mg/m³ (AF= 2)
Industrial, dermal, Long-term - systemic effects, 43 mg/kg bw/d (AF= 105)
general population, inhalative, Long-term - local effects, 12 mg/m³ (AF0 10)
general population, dermal, Long-term - systemic effects, 21 mg/kg bw/d (AF= 210)
general population, inhalative, Long-term - systemic effects, 12 mg/m³

PNEC

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0		
seawater, 21,12 µg/L		
freshwater, 211,2 μg/L		
sewage treatment plants (STP), 100 mg/L		
sediment (freshwater), 760 μg/kg sediment dw		
sediment (seawater), 76 μg/kg sediment dw		
soil, 28,3 µg/kg soil dw		
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol		
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol		
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol freshwater, 2 mg/L		
freshwater, 2 mg/L		
freshwater, 2 mg/L oral (food), 111 mg/kg food		
freshwater, 2 mg/L oral (food), 111 mg/kg food soil, 460 μg/kg soil dw		



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 6 / 14

seawater, 200 µg/L

2-2'-oxybisethanol, CAS: 111-46-6

freshwater, 10 mg/L (AF= 10)

seawater, 1 mg/L (AF= 100)

sediment (freshwater), 20.9 mg/kg dw

sewage treatment plants (STP), 199.5 mg/L (AF= 10)

sediment (seawater), 2.09 mg/kg dw

soil, 1.53 mg/kg dw

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Oil-resistant protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 7 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidColoryellowOdorcharacteristicOdour thresholdnot applicable

 pH-value
 ca 8.5 (20° C) (FMVSS 116)

 pH-value [1%]
 No information available.

 Boiling point [°C]
 > 260 (FMVSS 116)

 Flash point [°C]
 > 139 (DIN ISO 2719)

 Flammability (solid, gas) [°C]
 > 200 (DIN 51794)

Lower explosion limit 1,5 Vol%

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] < 0,1 kPa (20° C)

Density [g/cm³] ca. 1,06 (DIN 51 757) (20 °C / 68,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] No information available.

Kinematic viscosity ca. 15 - 17 mm²/s (20° C) (FMVSS 116)

Relative vapour density

Evaporation speed

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature

No information available.

Decomposition temperature [°C] ca. 360

Particle characteristics No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

The product is hygroscopic.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature). Decomposes begins at ca. 360 °C.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 8 / 14

10.5 Incompatible materials

Sensitive to moisture.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 9 / 14

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

ATE-mix, oral, > 2000 mg/kg

Substance

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

LD50, oral, Rat, >2000 mg/kg bw

NOAEL, oral, Rat, >1000 mg/kg bw/day

1,1'-Iminodipropan-2-ol, CAS: 110-97-4

LD50, oral, Rat, 6720 mg/kg bw

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

LD50, oral, Rat, >2000 mg/kg bw

2-2'-oxybisethanol, CAS: 111-46-6

Oral lethal dose for humans: 0,014 mg/kg (ECHA)

LD50, oral, Rat, > 16500 mg/kg

ATE, oral, 500 mg/kg (Cat. 4), for ATEmix calculation

Acute dermal toxicity

Substance

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

LD50, dermal, Rat, >2000 mg/kg bw

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

LD50, dermal, Rabbit, 3540 mg/kg bw

2-2'-oxybisethanol, CAS: 111-46-6

LD50, dermal, Rabbit, 13300 mg/kg

Acute inhalational toxicity

Substance

2-2'-oxybisethanol, CAS: 111-46-6

LC50, inhalative, Rat, > 4,6 mg/l/4h

Serious eye damage/irritation Toxicological data of complete product are not available.

Slight irritant effect - does not require labelling.

No classification due to substance-specific concentration limits.

No classification. Calculation method

Substance

2-2'-oxybisethanol, CAS: 111-46-6

Rabbit, in vivo, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

2-2'-oxybisethanol, CAS: 111-46-6

Reconstituted human epidermis model, OECD 439, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11

Page 10 / 14

Substance

2-2'-oxybisethanol, CAS: 111-46-6

Guinea pig, EU Method B.6; in vivo (non-LLNA), non-sensitizing

Specific target organ toxicity —

single exposure

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

2-2'-oxybisethanol, CAS: 111-46-6

no adverse effect observed

Reproduction toxicity Suspected of damaging the unborn child.

Calculation method

Substance

2-2'-oxybisethanol, CAS: 111-46-6

NOAEL, oral, mouse, 3060 mg/kg bw/d (Effect on fertility), no adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting properties No information available.

Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LC50, (96h), fish, 222,2 mg/L
EC50, (48h), Crustacea, 211,2 mg/L
EC50, (72h), Algae, 224,4 mg/L
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol
LC50, (96h), fish, >1,5 g/L
EC50, (48h), Crustacea, >3 g/L
NOEC, (72h), Algae, >2,5 g/L
2-2'-oxybisethanol, CAS: 111-46-6
LC50, (96h), Pimephales promelas, 752 mg/l
EC50, (24h), Daphnia magna, > 100 mg/l
EC10, (0,5h), Activated sewage sludge, > 1995 mg/l
EC5, (8d), Scenedesmus quadricauda (algea), 2700 mg/l



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 11 / 14

12.2 Persistence and degradability

Behaviour in environment

compartments

No information available.

Behaviour in sewage plant

No information available.

Biological degradability

No information available.

12.3 Bioaccumulative potential

CAS 110-97-4: Log Pow = -0.82

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 160113*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

150104

150110* packaging containing residues of or contaminated by hazardous substances



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 12 / 14

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 13 / 14

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.



Date printed 05.01.2022, Revision 05.01.2022

Version 12. Supersedes version: 11 Page 14 / 14

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Repr. 2: H361d Suspected of damaging the unborn child. (Calculation method)

Modified position none