

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 1 / 8

## SECTION 1: Identification of the substance / preparation and of the company

### 1.1 Product identifier

**SWAG 10 92 2806 automatic transmission fluid (ATF)**  
**Article number 10 92 2806, 10 98 0018, 10 92 6680, 10 92 6681**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)  
**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency phone

**Advisory body** +49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

#### 2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

### 2.2 Label elements

The product does not require a hazard warning label in accordance with EC-directives.

#### Labelling according to Regulation 67/548/EEC or 1999/45/EC

**Hazard symbols** none  
**R-phrases** none

### 2.3 Other hazards

**Physico-chemical hazards** No particular hazards known.  
**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.  
Frequent persistent contact with the skin can cause skin irritation.  
**Other hazards** none

## SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

#### Comment on component parts

No dangerous components.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 2 / 8

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
<b>Skin contact</b>	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

##### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to the doctor.

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Carbon dioxide. Foam. Dry powder.
<b>Extinguishing media that must not be used</b>	Full water jet.

##### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Unknown risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Sulphur oxides (SO<sub>x</sub>).  
Nitrogen oxides (NO<sub>x</sub>).

##### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

##### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

##### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance within the regulations.

##### 6.4 Reference to other sections

See SECTION 8+13

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 3 / 8

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
The product is combustible.  
Do not eat, drink, smoke or take drugs at work.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Keep container in a well-ventilated place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not applicable

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	If there is a risk of splashing: Safety glasses.
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1.
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 4 / 8

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	red violet
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	> 150 (DIN ISO 2592)
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
Density [g/ml]	~0,85 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	~ 31 mm <sup>2</sup> /s (40°C) (DIN 51562/T1)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	~-42 (DIN ISO 3016)
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

### 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong acids.  
Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7.2.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 5 / 8

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

No classification on the basis of the calculation procedure of the preparation directive.  
Toxicological data of complete product are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.  
Do not discharge product unmonitored into the environment or into the drainage.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 6 / 8

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Untaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150102  
150104  
150110\*

## SECTION 14: Transport information

### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 7 / 8

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EEC-REGULATIONS</b>	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
<b>TRANSPORT-REGULATIONS</b>	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
<b>- Observe employment restrictions for people</b>	no
<b>- VOC (1999/13/CE)</b>	not applicable

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

#### Modified position

SECTION 4 been added: Forward this sheet to the doctor.  
SECTION 4 been added: If eye irritation persists: Get medical advice/attention.  
SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
SECTION 7 been added: Take off contaminated clothing and wash before reuse.  
SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.  
SECTION 8 been added: If there is a risk of splashing:  
SECTION 12 been added: Do not discharge product unmonitored into the environment or into the drainage.

**Safety Data Sheet 1907/2006/EC - REACH (GB)**  
**SWAG 10 92 2806 automatic transmission fluid (ATF)**



**SWAG Autoteile GmbH**  
**42117 Wuppertal**

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 8 / 8