

according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ATF MB 17

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	Vierol AG	
Street:	Karlstrasse 19	
Place:	D-26123 Oldenburg	
Telephone:	+49 (0) 441 – 210 20 – 0	Telefax: +49 (0) 441 – 210 20 –111
e-mail:	info@vierol.de	
Internet:	www.vierol.de	
Responsible Department:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aspiration hazard: Asp. Tox. 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified **Signal word:** Danger

Pictograms:



Hazard statements

H304 H412	May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
Precautionary state	ements
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents / container in accordance with official regulations.

Page 1 of 16



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification		·	
64742-54-7	Distillates (petroleum), hydrotrea	ated heavy paraffinic; Baseoil	- unspecified	27 - <= 45 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C15	5-30, hydrotreated neutral oil-	based; Baseoil - unspecified	25 - <= 43 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304		·	
36878-20-3	Bls(nonylphenyl)amine	0 - < 1,2 %		
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413		·	
125643-61-0	reaction mass of isomers of: C7	0 - < 1,2 %		
	406-040-9	607-530-00-7	01-0000015551-76	
	Aquatic Chronic 4; H413			
	Reaction product of alkylthioalcohol and substituted phosphorus compound			0 - < 0,24 %
	424-820-7			
	Acute Tox. 4, Skin Corr. 1B, Aqu	atic Acute 1, Aquatic Chronic	: 1; H312 H314 H400 H410	
91-20-3	naphthalene			0 - < 0,0001
	202-049-5	601-052-00-2	01-2119561346-37	
	Carc. 2, Acute Tox. 4, Aquatic A			

Full text of H and EUH statements: see section 16.

Page 2 of 16

Page 3 of 16



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	27 - <= 45 %
	dermal: LD50 =	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	25 - <= 43 %
	dermal: LD50 =	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
36878-20-3	253-249-4	Bls(nonylphenyl)amine	0 - < 1,2 %
	oral: LD50 = >	5000 mg/kg	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	0 - < 1,2 %
	dermal: LD50 -	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
	424-820-7	Reaction product of alkylthioalcohol and substituted phosphorus compound	0 - < 0,24 %
	dermal: LD50 = M chron.; H410	= > 500 mg/kg; oral: LD50 = > 2000 mg/kg	
91-20-3	202-049-5	naphthalene	0 - < 0,0001 %
	inhalation: LC5 mg/kg	0 = > 77,7 mg/l (vapours); dermal: LD50 = > 16000 mg/kg; oral: LD50 = 710	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers. Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

- Water spray jet

- alcohol resistant foam.
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
 - Nitrogen oxides (NOx)
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Page 4 of 16



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
91-20-3	Naphthalene	10	50		TWA (8 h)	EU

Page 5 of 16



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

Page 6 of 16

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Bas	eoil - unspecified		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNE	EL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral	oil-based; Baseoil - uns	specified	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNE	EL, long-term	oral	systemic	0,74 mg/kg bw/day
36878-20-3	BIs(nonylphenyl)amine			
Worker DNEL,	long-term	dermal	systemic	5 mg/kg bw/day
Consumer DNE	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,25 mg/kg bw/day
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl	-4-hydroxyphenyl)propi	onate	
Worker DNEL,	long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,62 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	0,83 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,93 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	6,6 mg/m ³
	Reaction product of alkylthioalcohol and substituted phos	phorus compound		
Worker DNEL,	long-term	inhalation	systemic	1,76 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	0,43 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,25 mg/kg bw/day
91-20-3	naphthalene			
Worker DNEL,	long-term	inhalation	systemic	25 mg/m³
Worker DNEL,	long-term	inhalation	local	25 mg/m³
Worker DNEL,	long-term	dermal	systemic	3,57 mg/kg bw/day



ATF MB 17

Revision date: 25.03.2021

Page 7 of 16

PNEC values

CAS No	Substance	
Environment	al compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary p	oisoning	9,33 mg/kg
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - uns	pecified
Secondary p	oisoning	9,33 mg/kg
36878-20-3	Bls(nonylphenyl)amine	
Freshwater		0,412 mg/l
Freshwater (i	intermittent releases)	1 mg/l
Marine water	r	0,041 mg/l
Freshwater s	sediment	1 mg/kg
Marine sedim	nent	0,1 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propic	onate
Freshwater		0,018 mg/l
Freshwater (i	intermittent releases)	0,018 mg/l
Marine water	r	0,002 mg/l
Freshwater s	sediment	2 mg/kg
Marine sedim	nent	0,2 mg/kg
Secondary p	oisoning	41,33 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	100 mg/l
Soil		10 mg/kg
	Reaction product of alkylthioalcohol and substituted phosphorus compound	
Freshwater		0,0009 mg/l
Freshwater (i	intermittent releases)	0,0009 mg/l
Marine water	r	0,00009 mg/l
Freshwater s	sediment	0,73 mg/kg
Marine sedim	nent	0,073 mg/kg
Secondary p	oisoning	10 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	5 mg/l
Soil		0,086 mg/kg
91-20-3	naphthalene	
Freshwater		0,0024 mg/l
Freshwater (i	intermittent releases)	0,02 mg/l
Marine water	r	0,0024 mg/l
Freshwater s	sediment	0,0672 mg/kg
Marine sedim	nent	0,0672 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	2,9 mg/l
Soil		0,0533 mg/kg

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

ATF MB 17

Page 8 of 16

Revision date: 25.03.2021





Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn. EN ISO 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

inical properties
Liquid yellow
Mineral-oil-like
not determined
not determined
not determined
not determined
-54 °C
184 °C
not applicable
not applicable
mation of explosive air/vapour mixtures are possible.
not determined
not determined
not applicable
not applicable



according to Regulation (EC) No 1907/2006

ATF MB 17 Revision date: 25.03.2021 Page 9 of 16 not determined Decomposition temperature: **Oxidizing properties** The product is not: oxidising. Vapour pressure: not determined Density (at 15 °C): 0.842 g/cm³ Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / kinematic: 18 mm²/s (at 40 °C) not determined Relative vapour density: Evaporation rate: not determined 9.2. Other information Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reaction with: Oxidizing agent

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

- Materials to avoid:
 - Acids
 - Reducing agent
 - Oxidising agent

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2)
- Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date	25.03.2021					Page 10			
CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-54-7	Distillates (petroleum), h	ydrotreated	heavy paraff	inic; Baseoil - unsp	ecified				
	oral	LD50 > 5000 mg/kg		Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402			
72623-86-0	Lubricating oils (petroleu	m), C15-30	, hydrotreate	d neutral oil-based;	Baseoil - unspecified				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402			
36878-20-3	BIs(nonylphenyl)amine								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401			
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate								
	oral	LD50 mg/kg	> 2000	Rat	Study report (2005)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402			
	Reaction product of alky	Ithioalcohol	and substitut	ed phosphorus cor					
	oral	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 500	Rabbit	Study report (1996)	OECD Guideline 402			
91-20-3	naphthalene								
	oral	LD50 mg/kg	710	Mouse	FUND. APPL. TOXICOL 4: 406-419 (1984) (1	OECD Guideline 401			
	dermal	LD50 mg/kg	> 16000	Rat	Study report (1980)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50 mg/l	> 77,7	Rat	Study report (1985)	other: EPA TSCA			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

ATF MB 17

Page 11 of 16

Revision date: 25.03.2021

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



ATF MB 17

Revision date: 25.03.2021

Page 12 of 16

CAS No	Chemical name										
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method				
64742-54-7	Distillates (petroleum), hy	drotreated h	eavy paraffir	nic; Base	oil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203				
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified										
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203				
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a				
36878-20-3	Bls(nonylphenyl)amine										
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)	ECHA Dossier					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	Study report (2019)	OECD Guideline 201				
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202				
125643-61-0	reaction mass of isomers	of: C7-9-alk	yl 3-(3,5-di-te	ert-butyl-	4-hydroxyphenyl)propion	ate					
	Acute fish toxicity	LC50 mg/l	> 0,001	96 h	Oncorhynchus mykiss	Study report (2009)	OECD Guideline 203				
	Acute algae toxicity	ErC50	> 0 mg/l	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201				
	Acute crustacea toxicity	EL50	110 mg/l	48 h	Daphnia magna	Study report (2000)	OECD Guideline 202				
	Fish toxicity	NOEC mg/l	0,36	33 d	Pimephales promelas	Study report (2009)	OECD Guideline 210				
	Crustacea toxicity	NOEC	3,2 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211				
	Acute bacteria toxicity	(> 1000 n	ng/l)	3 h	activated sludge of a predominantly domestic sewag	Study report (2000)	OECD Guideline 209				
	Reaction product of alkylthioalcohol and substituted phosphorus compound										
	Acute fish toxicity	LC50	1,5 mg/l	96 h							
	Acute algae toxicity	ErC50 mg/l	0,31	72 h	Pseudokirchneriella subcapitata	Study report (1996)	EU Method C.3				
	Acute crustacea toxicity	EL50 mg/l	0,09	48 h	Daphnia magna	Study report (1996)	EU Method C.2				
	Crustacea toxicity	NOEC mg/l	0,14	21 d	Daphnia magna	Study report (2001)	OECD Guideline 211				
	Acute bacteria toxicity	(> 50 mg/	/1)	3 h	Activated sludge	Study report (1996)	OECD Guideline 209				
91-20-3	naphthalene										
	Acute fish toxicity	LC50	1,6 mg/l	96 h	Oncorhynchus mykiss	Arch. Environm. Contam. Toxicol. 11, 487	OECD Guideline 203				
	Acute algae toxicity	ErC50 ca. 0,5 mg	ca. 0,4 - /I	72 h	Skeletonema costatum	Mar Environ Res 11, 183-200 (1984)	Aquatic toxicity of water soluble fracti				
	Acute crustacea toxicity	EC50 mg/l	2,16	48 h	Daphnia magna	Transactions of the American Fisheries S	OECD Guideline 202				



ATF MB 17

Vierol AG

Revision date: 25.03.2021	Page 13 of 16				
Fish toxicity	NOEC 0 mg/l),37 40 c	- ,	Soc. 110:430-436,	Coho salmon fry were exposed for 40 days
Crustacea toxicity	NOEC 0 mg/l),59 125 c		Aquat. Sci. 39:	During chronic studies in closed static

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bls(nonylphenyl)amine	7,6
91-20-3	naphthalene	3,4

BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bls(nonylphenyl)amine	1584,89	Cyprinus carpio	Study report (2000)
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



ATF MB 17

Revision date: 25.03.2021

Page 14 of 16

Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this transport regulation.		
14.7. Maritime transport in bulk according to IMO instruments		
No dangerous good in sense of this tra	ansport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information		

Le regulatory mormation	
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 28	
2010/75/EU (VOC):	0 % (0,001 g/l)
2004/42/EC (VOC):	0 % (0,001 g/l)
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

Page 15 of 16



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

ATF MB 17

Revision date: 25.03.2021

Page 16 of 16

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)